

Dr. Anesh Naidoo

MBChB MMed (Stell) FC (Urol SA) PR. No: 206482

Dr. Paul Whitaker

MBChB MMed (Stell) FC (Urol SA) PR. No: 4602234



WEST COAST UROLOGY
a s s o c i a t e s

Suite A1-1
Netcare Blaauwberg Hospital
Waterville Crescent
Sunningdale, 7441

<p align="center">Name of proposed procedure (include brief explanation if medical term not clear)</p>	<p align="center">ANAESTHETIC</p>	
<p><u>TRANSURETHRAL INCISION OR RESECTION OF THE PROSTATE (CANCER)</u></p> <p>THIS OPERATION INVOLVES THE TELESCOPIC REMOVAL OF OBSTRUCTING PARTS OF THE PROSTATE WITH A HEAT DIATHERMY OR LASER. TEMPORARY INSERTION OF A CATHETER FOR BLADDER IRRIGATION</p>	<p><input type="checkbox"/> - GENERAL/REGIONAL</p> <p><input type="checkbox"/> - LOCAL</p> <p><input type="checkbox"/> - SEDATION</p>	

<p>COMMON</p> <ul style="list-style-type: none"> - TEMPORARY MILD BURNING, BLEEDING AND FREQUENCY OF URINATION AFTER PROCEDURE - NO SEMEN IS PRODUCED DURING AN ORGASM IN APPROX: 20%if INCISION or 75% if RESECTION - MAY NOT RELIEVE ALL PROSTATIC SYMPTOMS <p>OCCASIONAL</p> <ul style="list-style-type: none"> - POOR ERECTIONS POSSIBLE (IMPOTENCE IN APPROX5-10%) - INFECTION OF BLADDER OR KIDNEY REQUIRING ANTIBIOTICS - LOSS OF URINARY CONTROL (INCONTINENCE), TEMPORARY OR PERMANENT - BLEEDING REQUIRING RETURN TO THEATRE AND/OR BLOOD TRANSFUSION. - POSSIBLE NEED TO REPEAT TREATMENT LATER DUE TO REOBSTRUCTION (APPROX 10%) - MAY NEED SELF CATHETERISATION TO EMPTY BLADDER FULLY IF BLADDER WEAK - FAILURE TO PASS URINE AFTER SURGERY REQUIRING A NEW CATHETER <p>RARE</p> <ul style="list-style-type: none"> - INJURY TO URETHRA CAUSING DELAYED SCAR FORMATION - ABSORPTION OF IRRIGATING FLUIDS CAUSING CONFUSION, HEART FAILURE (TUR SYNDROME) - VERY RARELY, PERFORATION OF THE BLADDER REQUIRING A TEMPORARY URINARY CATHETER OR OPEN SURGICAL REPAIR <p>ALTERNATIVE THERAPY: DRUGS, USE OF A CATHETER OR STENT, OBSERVATION OR OPEN OPERATION</p>	
--	--